

House _____ Amendment NO. _____

Offered By

1 AMEND House Committee Substitute for House Bill No. 1696, Page 19, Section 11, Line 32, by
2 inserting after all of said section the following:

3
4 "Section 12. 1. The director of the department of natural resources shall, at public auction
5 or private sale, sell, transfer, grant, convey, remise, release and forever quitclaim to all interest of the
6 state of Missouri in property located in Oregon County, Missouri, more particularly described as
7 follows:

8 TRACT 1:

9 TOWNSHIP 22 NORTH, RANGE 2 WEST:

10 Section 3: All that part lying West of, or right bank of, the Eleven Point River;

11 Section 4: All that part of the East Half lying West of, or right bank of, the Eleven
12 Point River; All of Lot 1 of the NW1/4;

13 Section 5: All of Lot 1 of the NE1/4; All of Lots 1 and 2 of the NW1/4; All that part
14 of the E1/2 of Lot 3 of the NW1/4 of Section 5 which lies South and West of
15 Billmore Hollow, EXCEPT therefrom that part lying north of Hwy "Y"; All of the
16 W1/2 of Lot 3 of the NW1/4;

17 Section 6: All of the E1/2 of Lots 2 and 3 of the NE1/4;

18 Section 9: All of the North Fractional Half of the NE Fractional Quarter lying West
19 of, or right bank of, the Eleven Point River;

20 TOWNSHIP 23 NORTH, RANGE 2 WEST:

21 Section 33: All of the SE1/4;

22 Section 34: All of the SW1/4 lying West of, or right bank of, the Eleven Point River.

23 PARCEL I:

24 An easement for ingress and egress over and across an existing private road, 50 feet
25 in width, running Southeasterly from Highway "Y" to a point near the South line of
26 Section 32, Township 23, Range 2, and thence East along the South line of Sections
27 32 and 33, in Township 23, Range 2 to the West line of the above described property.

28 TRACT 2:

29 All of Lot One (1) of the Northeast Quarter (NE1/4) and all that part of the Northwest
30 Quarter (NW1/4) of the Southeast Quarter (SE1/4) lying South and East of Highway
31 Y, in Section Six (6), Township Twenty-two (22), Range Two (2) West. The East Half
32 (E1/2) of the Southeast Quarter (SE1/4) of Section Six (6), Township Twenty-two
33 (22) North, Range Two (2) West. All the Southwest Quarter (SW1/4) of the
34 Southeast Quarter (SE1/4) of Section Six (6), Township Twenty-two (22) North,
35 Range Two (2) West of the Fifth Principal Meridian, except therefrom a strip of land
36 10 feet wide (being the south ten feet) of SE1/4 of said Section 6 for roadway, and

Action Taken _____ Date _____

1 except right of way for State Highway Y as shown recorded in Book 172 at Page 86
 2 of the records of Oregon County, Missouri.

3 TOWNSHIP 22 NORTH, RANGE 2 WEST

4 Section 5: All of the North Half of the Southeast Quarter; Block 2 in Charles W.
 5 Melton and wife and E. W. Sitton and wife Subdivision of the SE 1/4 of the SE1/4 of
 6 Section 5 as shown in Plat Book 8 at Page 21 of the records of Oregon County,
 7 Missouri; All of the Southwest Quarter of the Southeast Quarter; All of the
 8 Southwest Quarter;

9 Section 7: All of the East Half of the Northeast Quarter; Block 1 of J. F. Melton
 10 Subdivision of the SW1/4 of the NE1/4 of Section 7 as shown in Plat Book 6 at Page
 11 5 of the records of Oregon County, Missouri; All of the Northwest Quarter of the
 12 Northeast Quarter;

13 Section 8: Block 5 in S. D. Melton's Subdivision of the NE1/4 of the NE1/4 of
 14 Section 8 as shown in Plat Book 7 at Page 16 of the records of Oregon County,
 15 Missouri; Lot 2 Block 1 in S. D. Melton's Subdivision of the SW1/4 of the NE1/4 of
 16 Section 8 as shown in Plat Book 7 at Page 16 of the records of Oregon County,
 17 Missouri; All of the Northwest Quarter of the Northeast Quarter; All of Block 1 in G.
 18 T. Thomasson and wife's Subdivision of the NE1/4 of the SW1/4 of Section 8 as
 19 shown in Plat Book 6 at Page 38 of the Records of Oregon County, Missouri; All of
 20 Lot 1 of Block 1 in G. T. Thomasson and wife's former Subdivision of the NW1/4 of
 21 the SW1/4 of Section 8 as shown in Plat Book 7 at Page 17 of the Records of Oregon
 22 County, Missouri; All of the Northwest Quarter.

23 2. The property described in subsection 1 of this section shall not be used as a park,
 24 as the term is defined in section 253.010.

25 3. The property described in subsection 1 of this section shall first be offered for sale to the
 26 grantor of the property that granted such property to the department of natural resources and
 27 dedicated such property for public use, with such grantor having the right of first refusal. The
 28 grantor shall be offered the ability to repurchase such property at eighty percent of the property's fair
 29 market value. Such grantor shall have thirty calendar days to respond and accept such offer by the
 30 department of natural resources. If the grantor does not respond and accept such offer within thirty
 31 calendar days, the department may offer the property for sale at public auction or to any third party
 32 without the condition that such property be dedicated to public use, but shall not sell such property
 33 for less than eighty percent of the property's fair market value.

34 4. The commissioner of administration may set the terms and conditions for the conveyance
 35 as the commissioner deems reasonable so long as such terms do not conflict with the requirements
 36 of subsection 1 of this section. The property described under subsection 1 of this section may be
 37 subdivided and sold in parcels of not less than three hundred acres.

38 5. The attorney general shall approve the form of the instrument of conveyance.

39 6. The property described under subsection 1 of this section shall be sold, transferred,
 40 granted, conveyed, remised, released and forever quitclaimed by the director of the department of
 41 natural resources by December 31, 2020.

42 Section 13. 1. The director of the department of natural resources shall, at public auction or
 43 private sale, sell, transfer, grant, convey, remise, release and forever quitclaim to all interest of the
 44 state of Missouri in property located in Oregon County, Missouri, more particularly described as
 45 follows:

46 Tract 1:

47 Township 23 North, Range 2 West

48 Section 20: That part of the Northeast Quarter of the Southeast Quarter lying North
 49 and East of a line beginning at C-E-E 1/64th corner, thence in a Southeasterly

1 direction to N-S 1/64th corner, Sections 20 and 21. All that part of the following
 2 described tracts lying East of Highway Y: The Southeast Quarter, the North Half of
 3 the Southwest Quarter, and the South Half of the Northwest Quarter: EXCEPT that
 4 part of the Northeast Quarter of the Southeast Quarter lying North and East of a line
 5 beginning at C-E-E 1/64th corner, thence in a Southeasterly direction to N-S 1/64th
 6 corner, Sections 20 and 21.

7 Section 21: All of the East Fractional Half of the Southeast Fractional Quarter lying
 8 west of, or right bank of, the Eleven Point River All that part of the Southwest
 9 Fractional Quarter of the Southeast Fractional Quarter lying west of, or right bank of,
 10 the Eleven Point River; All of the Southeast Quarter of the Southwest Quarter; All
 11 that part of the West Fractional Half of the Southwest Quarter of Section 21 that lies
 12 south of, or right bank of, the Eleven Point River; All that part of the NE1/4 of the
 13 SW1/4 and all that part of the NW1/4 of the SE1/4 lying west of, or the right bank of
 14 the Eleven Point River.

15 Section 27: All that part of Section 27 lying west of, or right bank of, the Eleven
 16 point river EXCEPT THAT PART of the West Fractional Half of the Southwest
 17 Fractional Quarter south and west and being right bank of Eleven Point River lying
 18 north of the 1/64th line east to Eleven Point River from the N-S 1/64th corner of
 19 Sections 27 and 28;

20 Section 28: All that part of Section 28 lying west of, or right bank of the Eleven
 21 Point River EXCEPT THAT PART of the Northeast Fractional Quarter of the
 22 Southeast Fractional Quarter west and being right bank of Eleven Point River lying
 23 east of the 1/64th line beginning at C-E-E 1/64th corner, thence south along E-E
 24 1/64th line to C-S-NE-SE 1/256th corner;

25 Section 29: All that part of the following described tracts lying East of Highway Y:
 26 The South Half of the North Half, the North Half of the Southeast Quarter. All that
 27 part of the following described tracts lying East of Highway Y: The North Half of
 28 the North Half.

29 Section 33: NE1/4 of Section 33

30 Section 34: All that part of the N1/2 lying west of, or right bank of the Eleven Point
 31 River.

32 Tract 2:

33 A Tract of land located in part of the NW1/4 of Section 33, Township 23 North,
 34 Range 2 West, 5th P.M., more particularly described as follows: BEGINNING at the
 35 Northwest corner of the NW1/4 of said Section 33, a 5/8" rebar with an aluminum
 36 cap stamped "Norsworthy PLS 2235"; THENCE South 88 degrees 54 minutes 38
 37 seconds East along the North line of the NW1/4 of said Section 33, a distance of
 38 2685.46 feet to the Northeast corner of the NW1/4 of said Section 33; THENCE
 39 South 01 degrees 59 minutes 05 seconds West along the East line of the NW1/4 of
 40 said Section 33; THENCE South 01 degrees 59 minutes 05 seconds West along the
 41 East line of the NW1/4 of said Section 33, a distance of 2095.82 feet to a 5/8" rebar
 42 with a plastic cap stamped "Norsworthy PLS 2235"; THENCE North 88 degrees 07
 43 minutes 05 seconds West, a distance of 1623.93 feet to a 5/8" rebar with a plastic cap
 44 stamped "Norsworthy PLS 2235"; THENCE North 29 degrees 22 minutes 35 seconds
 45 West, a distance of 405.72 feet to a 5/8" rebar with a plastic cap stamped
 46 "Norsworthy PLS 2235"; THENCE North 77 degrees 45 minutes 53 seconds West, a
 47 distance of 857.10 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS
 48 2235" set on the West line of the NW1/4 of said Section 33; THENCE North 01
 49 degrees 44 minutes 27 seconds East along the West line of the NW1/4 of said Section

1 33, a distance of 1557.81 feet to the point of beginning. Contains 118.804 acres,
 2 more or less.

3 Also One Hundred (100) feet off the North end of the E1/2 of Section 32, Township
 4 23 North Range 2 West lying east of State Highway Y. Contains 5.32 acres, more or
 5 less.

6 Tract 3:

7 A Tract of land located in part of the W1/2 of Section 33, Township 23 North, Range
 8 2 West, 5th P.M., more particularly described as follows: COMMENCING at the
 9 Northwest corner of the NW1/4 of said Section 33, a 5/8" rebar with an aluminum
 10 cap stamped "Norsworthy PLS 2235"; THENCE S01°44'27"W along the West line of
 11 the W1/2 of said Section 33, a distance of 1557.81 feet to a 5/8" rebar with a plastic
 12 cap stamped "Norsworthy PLS 2235", the true POINT OF BEGINNING; THENCE
 13 S77°45'53"E, a distance of 857.10 feet to a 5/8" rebar with a plastic cap stamped
 14 "Norsworthy PLS 2235"; THENCE S29°22'35"E, a distance of 405.72 feet to a 5/8"
 15 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S88°07'05"E, a
 16 distance of 1623.93 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS
 17 2235" set on the East line of the W1/2 of said Section 33; THENCE S01°59'05"W
 18 along the East line of the W1/2 of said Section 33, a distance of 3198.69 feet to the
 19 Southeast corner of the W1/2 of said Section 33, a 5/8" rebar with an aluminum cap
 20 stamped "Norsworthy PLS 2235"; THENCE N88°46'02"W along the South line of
 21 the W1/2 of said Section 33, a distance of 2376.56 feet; THENCE N88°59'23"W,
 22 continuing along the South line of the W1/2 of said Section 33, a distance of 286.30
 23 feet to the Southwest corner of the W1/2 of said Section 33, a 5/8" rebar with an
 24 aluminum cap stamped "Norsworthy PLS 2235"; THENCE N01°44'27"E along the
 25 West line of the W1/2 of said Section 33, a distance of 3730.78 feet to the point of
 26 beginning.

27 ALSO a tract of land located in part of the E1/2 of Section 32, Township 23 North,
 28 Range 2 West, 5th P.M. lying East of State Highway "Y" more particularly described
 29 as follows: BEGINNING at the Northeast corner of the E1/2 of said Section 32, a
 30 5/8" rebar with an aluminum cap stamped "Norsworthy PLS 2235"; THENCE
 31 S01°44'27"W along the East line of the E1/2 of said Section 32, a distance of
 32 5288.59 feet to the Southeast corner of the E1/2 of said Section 32, a 5/8" rebar with
 33 an aluminum cap stamped "Norsworthy PLS 2235"; THENCE N88°59'23"W along
 34 the South line of the E1/2 of said Section 32, a distance of 1174.89 feet to a 5/8"
 35 rebar with a plastic cap stamped "Norsworthy PLS 2235" set in the centerline of a
 36 road; THENCE Northwesterly along the centerline of said road, the following 7
 37 courses and distances:

- 38 1) N53°07'50"W, a distance of 232.94 feet;
 39 2) Northwesterly along the arc of a curve to the right, a distance of
 40 329.08 feet, said curve having a radius of 853.54 feet and a central angle of
 41 22°05'25";
 42 3) N31°02'27"W, a distance of 174.37 feet;
 43 4) Northwesterly along the arc of a curve to the right, a distance of
 44 114.74 feet, said curve having a radius of 376.24 feet and a central angle of
 45 17°28'24";
 46 5) N13°34'03"W, a distance of 60.83 feet;
 47 6) Northwesterly along the arc of a curve to the left, a distance of 116.41
 48 feet, said curve having a radius of 135.37 feet and a central angle of 49°16'19";
 49 7) N62°50'22"W, a distance of 45.54 feet to a 5/8" rebar with a plastic

1 cap stamped "Norsworthy PLS 2235" set in the Easterly right-of-way line of said
 2 Highway "Y";
 3 THENCE Northerly along the Easterly right-of-way line of said Highway "Y" the
 4 following 11 courses and distances:

- 5 1) N10°58'49"E, a distance of 596.72 feet;
 6 2) Northerly along the arc of a curve to the left, a distance of 532.04 feet,
 7 said curve having a radius of 1202.90 feet and a central angle of 25°20'30";
 8 3) N14°53'34"W, a distance of 443.59 feet;
 9 4) Northerly along the arc of a curve to the right, a distance of 188.16
 10 feet, said curve having a radius of 929.48 feet and a central angle of 11°35'55";
 11 5) N03°08'38"W, a distance of 881.47 feet;
 12 6) N02°01'44"W, a distance of 385.89 feet;
 13 7) Northerly along the arc of a curve to the right, a distance of 294.42 feet,
 14 said curve having a radius of 1020.52 feet and a central angle of 16°31'47";
 15 8) N13°33'40"W, a distance of 411.18 feet;
 16 9) Northerly along the arc of a curve to the right, a distance of 145.39
 17 feet, said curve having a radius of 872.95 feet and a central angle of 09°32'33";
 18 10) N04°25'44"W, a distance of 542.80 feet;
 19 11) Northerly along the arc of a curve to the right, a distance of 136.94 feet,
 20 said curve having a radius of 531.11 feet and a central angle of 14°46'23" to a 5/8"
 21 rebar with a plastic cap stamped "Norsworthy PLS 2235" set on the North line of the
 22 E1/2 of said Section 32; THENCE S88°50'26"E along the North line of the E1/2 of
 23 said Section 32, a distance of 2306.26 feet to the point of beginning.

24 EXCEPT One Hundred (100) feet off the North end of the E1/2 of Section 32,
 25 Township 23 North Range 2 West lying east of State Highway Y.

26 EXCEPT FROM THE ABOVE DESCRIBED TRACTS: A Tract of land located in
 27 part of the NW1/4 of the SW1/4, the S1/2 of the SW1/4 and the SW1/4 of the SE1/4
 28 of Section 28 and in part of the E1/2 of Section 32 and in part of the NW1/4 of the
 29 NE1/4 and the W1/2 of Section 33, all in Township 23 North, Range 2 West, 5th
 30 P.M., more particularly described as follows: BEGINNING at the Northwest corner
 31 of said Section 33, a 5/8" rebar with an aluminum cap stamped "Norsworthy PLS
 32 2235"; THENCE N01°28'21"E along the West line of the S1/2 of the SW1/4 of said
 33 Section 28, a distance of 1321.75 feet to the Southwest corner of the NW1/4 of the
 34 SW1/4 of said Section 28, a 5/8" rebar with a plastic cap stamped "Norsworthy PLS
 35 2235"; THENCE N06°33'11"E, a distance of 44.17 feet to a 5/8" rebar with a plastic
 36 cap stamped "Norsworthy PLS 2235"; THENCE S87°39'26"E, a distance of 43.01
 37 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235";
 38 THENCE S37°01'33"E, a distance of 292.00 feet to a 5/8" rebar with a plastic cap
 39 stamped "Norsworthy PLS 2235"; THENCE S47°29'15"E, a distance of 714.87 feet
 40 to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE
 41 S00°01'21"E, a distance of 577.93 feet to a 5/8" rebar with a plastic cap stamped
 42 "Norsworthy PLS 2235"; THENCE N60°33'51"E, a distance of 819.53 feet to a 5/8"
 43 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE N65°56'00"E, a
 44 distance of 855.43 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS
 45 2235"; THENCE S06°39'52"W, a distance of 167.32 feet to a 5/8" rebar with a
 46 plastic cap stamped "Norsworthy PLS 2235"; THENCE S17°27'52"E, a distance of
 47 240.29 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235";
 48 THENCE S34°34'14"E, a distance of 384.45 feet to a 5/8" rebar with a plastic cap
 49 stamped "Norsworthy PLS 2235"; THENCE S86°58'59"E, a distance of 193.42 feet

1 to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE
 2 S09°39'02"E, a distance of 800.21 feet to a 5/8" rebar with a plastic cap stamped
 3 "Norsworthy PLS 2235"; THENCE S70°21'17"W, a distance of 409.82 feet to a 5/8"
 4 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S59°26'51"W, a
 5 distance of 587.94 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS
 6 2235"; THENCE S52°00'37"W, a distance of 269.32 feet to a 5/8" rebar with a
 7 plastic cap stamped "Norsworthy PLS 2235"; THENCE S15°30'30"E, a distance of
 8 647.94 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235";
 9 THENCE S09°04'42"E, a distance of 779.77 feet to a 5/8" rebar with a plastic cap
 10 stamped "Norsworthy PLS 2235"; THENCE S08°27'07"E, a distance of 508.03 feet
 11 to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE
 12 S13°19'43"W, a distance of 201.64 feet to a 5/8" rebar with a plastic cap stamped
 13 "Norsworthy PLS 2235"; THENCE S01°05'15"E, a distance of 787.24 feet to a 5/8"
 14 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S03°53'24"E, a
 15 distance of 881.25 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS
 16 2235"; THENCE S13°15'24"W, a distance of 288.39 feet to a 5/8" rebar with a
 17 plastic cap stamped "Norsworthy PLS 2235" set on the South line of the W1/2 of said
 18 Section 33; THENCE N88°46'02"W along the South line of the W1/2 of said Section
 19 33, a distance of 1981.28 feet; THENCE N88°59'23"W continuing along the South
 20 line of the W1/2 of said Section 33, a distance of 286.30 feet to the Southwest corner
 21 of the W1/2 of said Section 33, a 5/8" rebar with an aluminum cap stamped
 22 "Norsworthy PLS 2235"; THENCE continuing N88°59'23"W along the South line of
 23 the E1/2 of said Section 32, a distance of 1174.98 feet to a 5/8" rebar with a plastic
 24 cap stamped "Norsworthy PLS 2235" set in the centerline of an existing road;
 25 THENCE Northwesterly along the centerline of said existing road, the following 7
 26 courses and distances:
 27 1) N53°07'50"W, a distance of 232.94 feet;
 28 2) Northwesterly along the arc of a curve to the right, a distance of 329.08 feet, said
 29 curve having a radius of 853.54 feet and a central angle of 22°05'25";
 30 3) N31°02'27"W, a distance of 174.37 feet;
 31 4) Northwesterly along the arc of a curve to the left, a distance of 114.74 feet, said
 32 curve having a radius of 376.24 feet and a central angle of 17°28'24";
 33 5) N13°34'03"W, a distance of 60.83 feet;
 34 6) Northwesterly along the arc of a curve to the left, a distance of 116.41 feet, said
 35 curve having a radius of 135.37 feet and a central angle of 49°16'19";
 36 7) N62°50'22"W, a distance of 45.54 feet to a 5/8" rebar with a plastic cap stamped
 37 "Norsworthy PLS 2235" set in the Easterly right-of-way line of State Highway "Y";
 38 THENCE Northerly along the Easterly right-of-way line of said Highway "Y" the
 39 following 12 courses and distances:
 40 1) N10°58'49"E, a distance of 596.72 feet;
 41 2) Northerly along the arc of a curve to the left, a distance of 532.04 feet, said curve
 42 having a radius 1202.90 feet and a central angle of 25°20'30";
 43 3) N14°53'34"W, a distance of 443.59 feet;
 44 4) Northerly along the arc of a curve to the right, a distance of 188.16 feet, said curve
 45 having a radius of 929.48 feet and a central angle of 11°35'55";
 46 5) N03°08'38"W, a distance of 881.47 feet;
 47 6) N02°01'44"W, a distance of 385.89 feet;
 48 7) Northerly along the arc of a curve to the left, a distance of 294.42 feet, said curve
 49 having a radius of 1020.52 feet and a central angle of 16°31'47";

1 8) N13°33'40"W, a distance of 411.18 feet;

2 9) Northerly along the arc of a curve to the right, a distance of 145.39 feet, said curve
3 having a radius of 872.95 feet and a central angle of 09°32'33";

4 10) N04°25'44"W, a distance of 542.80 feet;

5 11) Northerly along the arc of a curve to the right, a distance of 129.35 feet, said
6 curve having a radius of 676.80 feet and a central angle of 10°57'00" to a 5/8" rebar
7 with a plastic cap stamped "Norsworthy PLS 2235" set on the North line of the E1/2
8 of said Section 32;

9 12) N06°30'24"E, a distance of 7.44 feet to a 5/8" rebar with a plastic cap stamped
10 "Norsworthy PLS 2235" set on the North line of the E1/2 of said Section 32;

11 THENCE S88°50'26"E along the North line of the E1/2 of said Section 32, a distance
12 of 2306.00 feet to the point beginning. Contains 547.327 acres, more or less.

13 2. The property described in subsection 1 of this section shall not be used as a park, as the
14 term is defined in section 253.010.

15 3. The property described in subsection 1 of this section shall first be offered for sale to the
16 grantor of the property that granted such property to the department of natural resources and
17 dedicated such property for public use, with such grantor having the right of first refusal. The
18 grantor shall be offered the ability to repurchase such property at eighty percent of the property's fair
19 market value. Such grantor shall have thirty calendar days to respond and accept such offer by the
20 department of natural resources. If the grantor does not respond and accept such offer within thirty
21 calendar days, the department may offer the property for sale at public auction or to any third party
22 without the condition that such property be dedicated to public use, but shall not sell such property
23 for less than eighty percent of the property's fair market value.

24 4. The commissioner of administration may set the terms and conditions for the conveyance
25 as the commissioner deems reasonable so long as such terms do not conflict with the requirements
26 of subsection 1 of this section. The property described under subsection 1 of this section may be
27 subdivided and sold in parcels of not less than three hundred acres.

28 5. The attorney general shall approve the form of the instrument of conveyance.

29 6. The property described under subsection 1 of this section shall be sold, transferred,
30 granted, conveyed, remised, released, and forever quitclaimed by the director of the department of
31 natural resources by December 31, 2021."; and

32
33 Further amend said bill by amending the title, enacting clause, and intersectional references
34 accordingly.